This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:	A1	(11) International Publication Number:	WO 97/02786
A61B 17/70		(43) International Publication Date:	30 January 1997 (30.01.97)

ŀ			
	(21) International Application Number:	PCT/US96/11503	(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY,
	(22) International Filing Date:	10 July 1996 (10.07.96)	CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS,

13 July 1995 (13.07.95)	US
14 July 1995 (14.07.95)	US
14 July 1995 (14.07.95)	US
13 October 1995 (13.10.95)	US
	14 July 1995 (14.07.95) 14 July 1995 (14.07.95) 13 October 1995 (13.10.95) 13 October 1995 (13.10.95) 13 October 1995 (13.10.95)

(71) Applicant: FASTENETIX, L.L.C. [US/US]; Suite 102, 47 Maple Avenue, Summit, NJ 07901 (US).

(72) Inventors: ERRICO, Joseph, P.; 9909-A Gable Ridge Terrace, Rockville, MD 20850 (US). ERRICO, Thomas, J.; 5 Crest Acre Court, Summit, NJ 07901 (US). RALPH, James, D.; 71 Manito Avenue, Oakland, NJ 07436 (US).

(74) Agent: ERRICO, Joseph, P.; Fastenetix, L.L.C., 150 Douglas Road, Far Hills, NJ 07931 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).


Published

With international search report.

(54) Title: A POLYAXIAL LOCKING MECHANISM

(57) Abstract

A polyaxial colletted locking mechanism for use with orthopedic apparatus includes a screw (170), hook (190), or other orthopedic implant element having a curvate head (172, 192), and a coupling element (100a). The coupling element (100a) has a tapered and colletted portion (102a) having an interior chamber (116a) in which the curvate head (172, 192) is initially polyaxially disposed. A locking collar (160) is disposed around the tapered and colletted portion (102a) such that translation thereof in the direction of the expanding taper causes the interior volume (116a) to contract onto the curvate head (172, 192) and lock it therein. The coupling element generally also includes a rod receiving recess (122a) in either the side or top thereof for receiving a rod of the total implant apparatus. The locking collar (160) may be caused to translate into its locking position by a mutual threading on the tapered portion and the collar, or by pressure applied to it by a separate element (150) which locks the rod in the channel.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
ΑU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	мс	Monaco	TT	Trinidad and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
FI	Finland	ML	Mali	US	United States of Americ
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

WO 97/02786 PCT/US96/11503

A POLYAXIAL LOCKING MECHANISM

BACKGROUND OF THE INVENTION

1. Field of the Invention

5

10

15

20

25

This invention relates generally to a mechanism for polyaxially coupling and locking orthopaedic apparatus together so as to provide maximum surgical freedom and ease of use.


2. Description of the Prior Art

A variety of orthopaedic implant devices have been disclosed in the art for providing support to healing and/or fusing bone segments. These devices include bone plates, artificial joints, and rod immobilization implants. While affixation of such devices in many areas of the human body is often technically difficult, the need for variable angulability in implant devices which are used to immobilized segments of the spinal column is especially desirable. The spine is a highly complex system of bones and connective tissues which houses and protects critical elements of the nervous system and the arterial and veinous bodies in close proximity thereto. A variety of systems have been disclosed in the art which achieve this immobilization by implanting artificial assemblies in or on the spinal column.

These assemblies may be classified as anterior, posterior, or lateral implants. As the classification suggests, lateral and anterior assemblies are coupled to the anterior portion of the spine, which is the sequence of vertebral bodies. Posterior implants are attached to the back of the spinal column, generally hooking under the lamina and entering into the central canal, attaching to the transverse process, or coupling through the pedicle bone. The present invention relates to all such spinal fixation devices for immobilizing and altering the alignment of the spine by means of affixing at least one elongate rod to the sequence of selected bones.

These "rod assemblies" have a variety of pieces, including hooks, pedicle screws, and sacral blocks, each of which comprise a plurality of screws which are coupled to the rod. Pedicle screws are implanted through the posterior lateral surfaces of the laminae, through the pedicles, and into their respective vertebral bodies. The hooks are inserted under the lamina.

The sacral block is coupled to the sacrum and receives the extreme end of the rod.It is the



SUBSTITUTE SHEET (RULE 26)




FIG.9a

SUBSTITUTE SHEET (RULE 26)




FIG.9b




FIG. 10

INTERNATIONAL SEARCH REPORT

International application No. PCT/US96/11503

A. CLASSIFICATION OF SUBJECT MATTER IPC(6) :A61B 17/70					
US CL	:606/61 to International Patent Classification (IPC) or to both	national classification and IPC			
	LDS SEARCHED	national classification and if C			
	locumentation searched (classification system follows	ed by classification symbols)			
	606/60, 61, 69-73, 75, 104; 623/16, 17	of Chastication Symbols,			
0.3.	000/00, 01, 09-73, 73, 104, 023/10, 17				
Documenta	tion searched other than minimum documentation to th	e extent that such documents are included	l in the fields searched		
Pleatenia	data base consulted during the international search (n	of data have and subsequentiable			
Electronic	date constitued during the international scarcii (ii	ame of data base and, where practicable	, search terms used)		
			. *		
ļ					
C. DOC	CUMENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to claim No.		
X , P			1, 2, 5-12		
γ'	see entire reference.		3, 4		
,			. .		
Y, P	V, P US, A, 5,476,464 (METZ-STAVENHAGEN ET AL.) 19 December 1995, see entire reference.				
A, P	US, A, 5,534,001 (SCHLAPFER I entire reference.	6			
Purth	ner documents are listed in the continuation of Box C	See patent family annex.			
	ecial categories of cited documents:	"T" later document published after the inte- date and not in conflict with the applica-	tion but cited to understand the		
ь	be of particular relevance	principle or theory underlying the inventor 'X' document of particular relevance; the			
1	fier document published on or after the international filing date	considered novel or cannot be considered when the document is taken alone			
cita	cument which may throw doubts on priority claim(s) or which is ed to establish the publication date of another citation or other cital reason (as specified)	'Y' document of particular relevance; the	e claimed invention cannot be		
.0. do	cument referring to an oral disclosure, use, exhibition or other cans	considered to involve an inventive combined with one or more other such being obvious to a person skilled in th	step when the document is documents, such combination		
	cument published prior to the international filing date but later than priority date claimed	'&' document member of the same patent	family		
Date of the actual completion of the international search Date of mailing of the international search report					
01 осто	BER 1996	29 OCT 1996			
Name and mailing address of the ISA/US Authorized officer					
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3590 Authorized officer GUY TUCKER Statia Similar GUY TUCKER Telephone No. (703) 308-3271					
Washingtor Facsimile N	n, D.C. 20231 o. (703) 305-3590	Telephone No. (703) 308-3271	for		
, ,		,			

Form PCT/ISA/210 (second sheet)(July 1992)*